


## Overview

# Cable Caddy X

Product number: 40110060



## Description

Erstellt am 28.04.2025.

Dieses Dokument stellt kein Angebot da. Es gelten die aktuellen Preise im Online-Shop.

\* Our offers are directed exclusively to companies. We do not conclude contracts with consumers. All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

The **Cable Unwinder Cable Caddy X** is the ideal tool for unwinding wires and cables vertically on cable reels. This means that the cables do not twist on themselves. This saves extra effort when laying cables and protects the material from unnecessary damage. The vertical mode of use means that the Cable Caddy X cable unwinder can also be used with damaged cable reels without any problems.



Thanks to its sophisticated design, the CableCaddy X has a secure footing - even when unwinding larger cable reels or pulling the cable a little harder  
Dimensions: 305 x 305 x 118 (mm)

### **Ball bearing support rollers**



TGU GmbH & Co. KG  
Joseph-Monier Str. 2 48268  
Greven

Tel.: 02575 - 955 87 0 Fax:  
02575 - 955 87 87 email:  
info@tgu-greven.com

HandelsregisterAmtsgericht  
Steinfurt, HRB 31 56  
Gerichtsstand Steinfurt  
Erfüllungsort Greven DE  
125 543 036



Our carrying rollers are particularly stable and durable, as these are equipped with **one ball bearing** on each side, which are firmly screwed to the base plate.

These carrying rollers are used exclusively for the Cable Caddy X.

#### **Mechanically attached rubber feet**



The rubber feet of our **cable caddy** are not glued, but mechanically attached. This ensures a firm grip at all times, even on slippery industrial floors.

Erstellt am 28.04.2025.

Dieses Dokument stellt kein Angebot da. Es gelten die aktuellen Preise im Online-Shop.

\* Our offers are directed exclusively to companies. We do not conclude contracts with consumers. All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.